

Proficient Homes

Whites Rd., No. 2 R. D.,


Kaipoi

CHRISTCHURCH CITY COUNCIL


Approved Subject to the By-Laws

27 NOV 1991


J.P. Selkirk
For Engineer



Elevation 1.



Elevation 2.




Elevation 3.

24 HOURS NOTICE MUST BE GIVEN

Prior to pouring ANY concrete
Prior to laying ANY Floor
Prior to fixing ANY wall or ceiling lining
On completion of the Building.

Provision must be made to allow
the building inspector access.




Elevation 4.

1:100


N.B.

WOODEN FLOOR TO N.Z.
SPECIFICATION 3604.

SEE ATTACHED SHEET.



Typical Cross Section
1:50



BRACING NOTES

TYPE
2.4 LENGTH
UNITS.

BRACING TYPES

- 1 METAL BRACING & GIB. BOARD.
- 2 METAL BRACING & GIB. BOARD
BOTH SIDES.
- 10 - PLY - 75 MM.

BRACING REQUIRED

EARTHQUAKE - B - 120
WIND ACROSS - 259 - 564 PROVIDED.
WIND ALONG - 314 - 622 PROVIDED.

Bracing Plan
1:100




GOLDEN TIME

Elevations & Details
Sheet: No. 2

Date: 8.8.91
Scale: as Shown

Proficient Homes

Whites Rd, No.2 R. D.,
Kaiapoi



24 HOURS NOTICE MUST BE GIVEN
 Prior to pouring ANY concrete
 Prior to laying ANY Floor
 Prior to fixing ANY wall or ceiling lining
 On completion of the Building.
 Provision must be made to allow
 the building inspector access.

F91

10979(2)

CHRISTCHURCH CITY COUNCIL
 Approved Subject to the By-Laws
 27 NOV 1991
[Signature]
 For Engineer

59.34 m²

GOLDEN TIME

Floor Plan Date: 8.8.91
 Sheet: No. 1 Scale: 1.50